Certificate of Conformance

Wiper Code: TC2PL1-99G

LOT No: 030822

	Sorptive Rate (Sec.) SPEC	<u>^</u>
Test For Sorbency Capacity & Rate IEST-RP-C004.3 Section 8.1	Sorptive Rate (Sec.) Average	<1
	Intrinsic Capacity SPEC	>2.8
	intrinsic Capacity (ml/g) Average	2.91
	Extrinsic Capacity SPEC	> 400
'i	Extrinsic Capacity (ml/m²) Average	407
Fiber/Particles IEST-RP-CC004.3 Section 6.2.2 (particle/m²)	>100 µm SPEC	<4 00
Fiber/P IEST-RP. Sectio (partic	>100 µm Average	119
Orbital Shake Test for Particles IEST-RP-CC004.3 Section 6.1.4 (x10 ⁶ particle/m²)	>5:0 µm SPEC	< 0.5 119
	20.50 >5.0 µm >5.0 µm spec	0,4
	>0.50 µm SPEC	< 5.0 0.4
	>0.50 µm Average	3.9
Thickness (mm) ASTM D1777-96	Thick- ness Upper	0.50
	Thick- ness Lower	0.40 0.50
	Thick- ness Average	0.46
Basis Weight (g/m²) ASTM D3776	Upper SPEC Limit	145
	Lower SPEC Limit	135
	Average Lower SPEC LIMIT	141

Section SA	Iraction Specific Extractable lons (ug/g or ppm) IEST-RP-C004.3 Section 7.2.2.1B	PA Sodium Sodium Potassium Potassium Calcium Calcium Chloride Chloride Magnesium Magnesium Spec (Na*) (K*) (K*) (K*) (Ca²*) (Ca²*) (Cl*) (Cl*) (Mg²*) (Mg²*)	< 0.04 0.11 < 0.20 0.08 < 0.10 0.08 < 0.20 0.06 < 0.10 0.07 < 0.10
F. E. O	Extractables - Short Term Extraction (g/m²) IEST-RP-CC004.3 Section 7.1.2	Di IPA IPA Water Average SPEC SPEC	0.0041 < 0.01 0.022 < 0.04 0.11

Product Cleanliness Specifications

The raw materials used in the production of this finished product are compliant with IEST-RP-CC004.3 and in accordance with Teknipure specifications.

Product Packaging Specifications


The packaging materials, method & environment of this finished product are in accordance with Teknipure specifications.

Shelf Life

Sterile product is marked with an expiration date three (3) years from date of manufacture.

Tested By: (Production Technician) 811 Date of Manufacture: Avg. 3, 2022 Name (printed): 8:11





Innovative Contamination Solutions

