| Title | Teknipure C of C |
|-----------------|-------------------|
| Document Number | FM-8.2.5.1 |
| Revision Date | February 20, 2022 |

Certificate of Conformance

Wiper Code: TM-MFP-516P LOT No: 527181-271222, 527181-100123

| Basis Weight (g/m²) ASTM D3776 | | | Thickness (mm) ASTM D1777-96 | | | Orbital Shake Test for Particles IEST-RP-CC004.3 Section 6.1.4 (x10 ⁶ particle/m ²) | | | Fiber/Particles IEST-RP-CC004.3 Section 6.2.2 (particle/m²) | | Test For Sorbency Capacity & Rate IEST-RP-C004.3 Section 8.1 | | | | | | |
|-----------------------------------|------------------------|------------------------|---------------------------------|-------------------------|-------------------------|--|---------------------|--------------------|---|-----------------------|--|---|-------------------------------|--|-------------------------------|---------------------------------------|------------------------------------|
| Average | Lower SPEC Limit | Upper SPEC Limit | Thick- ness Average | Thick- ness Lower | Thick- ness Upper | >0.50 µm Average | >0.50 µm SPEC | >5.0 µm Average | >5.0 µm SPEC | >100 µm Average | >100 µm SPEC | Extrinsic Capacity (ml/m²) Average | Extrinsic Capacity SPEC | Intrinsic Capacity (ml/g) Average | Intrinsic Capacity SPEC | Sorptive Rate (Sec.) Average | Sorptive Rate (Sec.) SPEC |
| 500 | 478 | 520 | 2.60 | 2.49 | 2.80 | - | - | - | - | 1522 | <2000 | 6.6 | >6.0 | 2.6 | >3.0 | - | - |

| | (g | ort Term Ex /m²) 4.3 Section | | Specific Extractable lons (ug/g or ppm) IEST-RP-C004.3 Section 7.2.2.1B | | | | | | | | | |
|------------------------|---------------------|------------------------------------|-------------|---|--------------------------------------|---|-------------------------------------|---|--|------------------------------|--|---|--|
| DI Water Average | DI Water SPEC | IPA Average | IPA SPEC | Sodium (Na ⁺) Averag e | Sodium (Na ⁺) SPEC | Potassium (K ⁺) Average | Potassium (K ⁺) SPEC | Calcium (Ca ²⁺) Average | Calcium (Ca ²⁺) SPEC | Chloride (Cl') Average | Chloride (Cl ⁻) SPEC | Magnesium (Mg ²⁺) Average | Magnesium (Mg ²⁺) SPEC |
| 663 | <1000 | 544 | <1000 | - | - | = | = | - | - | = | - | = | - |

Product Cleanliness Specifications

The raw materials used in the production of this finished product are compliant with IEST-RP-CC004.3 and in accordance with Teknipure specifications.

Product Packaging Specifications

The packaging materials, method & environment of this finished product are in accordance with Teknipure specifications.

Shelf Life

Sterile product is marked with an expiration date three (3) years from date of manufacture.

Tested By: (Production Technician) 张志馨 Inspected By: (Quality) 王雪艳 Name (printed): 王雪艳 Date of Manufacture: Dec.27.2022/Jan.10.2023





