| Title           | Teknipure C of C  |  |  |  |
|-----------------|-------------------|--|--|--|
| Document Number | FM-8.2.5.1        |  |  |  |
| Revision Date   | February 20, 2022 |  |  |  |

## **Certificate of Conformance**

## Wiper Code: TM-MFP-516P-ST

## LOT No: 527181-271222

|         | Basis Weight (g/m²)Thickness (mm)Orbital Shake Test for ParticlesASTM D3776ASTM D1777-96IEST-RP-CC004.3 Section 6.1.4<br>(x10 <sup>6</sup> particle/m²) |                        |                           | IEST-RP<br>Sectio       | Particles<br>-CC004.3<br>n 6.2.2<br>cle/m <sup>2</sup> ) | Test For Sorbency Capacity & Rate<br>IEST-RP-C004.3 Section 8.1 |                     |                    |                    |                       |                    |  |                               |  |                               |                                       |                                    |
|---------|---|------------------------|---------------------------|-------------------------|--|---|---------------------|--------------------|--------------------|-----------------------|--------------------|--|-------------------------------|--|-------------------------------|---------------------------------------|------------------------------------|
| Average | Lower<br>SPEC<br>Limit  | Upper<br>SPEC<br>Limit | Thick-<br>ness<br>Average | Thick-<br>ness<br>Lower | Thick-<br>ness<br>Upper                                  | >0.50<br>µm<br>Average  | >0.50<br>μm<br>SPEC | >5.0 μm<br>Average | >5.0<br>μm<br>SPEC | >100<br>µm<br>Average | >100<br>μm<br>SPEC | Extrinsic<br>Capacity<br>(ml/m <sup>2</sup> )<br>Average | Extrinsic<br>Capacity<br>SPEC | Intrinsic<br>Capacity<br>(ml/g)<br>Average | Intrinsic<br>Capacity<br>SPEC | Sorptive<br>Rate<br>(Sec.)<br>Average | Sorptive<br>Rate<br>(Sec.)<br>SPEC |
| 482     | 478   | 485                    | 2.8                       | 2.75                    | 2.85   | -   | -                   | -                  | -                  | 1522                  | <2000              | 6.6  | >6.0                          | 2.6  | >3.0                          | -                                     | -                                  |

|                        | (g                  | ort Term Ex<br>/m²)<br>4.3 Section |             | Specific Extractable Ions (ug/g or ppm)<br>IEST-RP-C004.3 Section 7.2.2.1B |                         |                              |                        |   |  |   |  |   |  |
|------------------------|---------------------|------------------------------------|-------------|--|-------------------------|------------------------------|------------------------|---|--|---|--|---|--|
| DI<br>Water<br>Average | DI<br>Water<br>SPEC | IPA<br>Average                     | IPA<br>SPEC | Sodium<br>(Na⁺)<br>Averag<br>e   | Sodium<br>(Na⁺)<br>SPEC | Potassium<br>(K⁺)<br>Average | Potassium<br>(K⁺) SPEC | Calcium<br>(Ca <sup>2+</sup> )<br>Average | Calcium<br>(Ca <sup>2+</sup> )<br>SPEC | Chloride<br>(Cl <sup>-</sup> )<br>Average | Chloride<br>(Cl <sup>-</sup> )<br>SPEC | Magnesium<br>(Mg <sup>2+</sup> )<br>Average | Magnesium<br>(Mg <sup>2*</sup> )<br>SPEC |
| 663                    | <1000               | 544                                | <1000       | -  | -                       | -                            | -                      | -   | -                                      | -   | -                                      | -   | -  |

| Product Cleanliness Specifications  | Tested By: (Production Technician) |
|---|------------------------------------|
| The raw materials used in the production of this finished product are compliant with IEST-RP-CC004.3 and in accordance with Teknipure specifications. | 北志巻<br>Inspected By: (Quality)     |
| Product Packaging Specifications  | inspected by. (Quality)            |
| The packaging materials, method & environment of this finished product are in accordance with   | 王雪艳                                |
| Teknipure specifications.   | Name (printed):                    |
| Shelf Life  | 王雪艳                                |
| Sterile product is marked with an expiration date three (3) years from date of manufacture.   | Date of Manufacture:               |
| Sterile product is marked with an expiration date timee (5) years norm date of manufacture.   | <u>Dec.27.2022</u>                 |

## Teknipure

Innovative Contamination Solutions