Title	Teknipure C of C
Document Number	FM-8.2.5.2
Revision Date	October 18, 2023

Certificate of Conformance

Wiper Code: TC1PS1-20

LOT No: 527321-201023

		The state of the s		(mgc	ins (ug/g or ppm)	actable for	Specific Extractable lo	dS					traction	Extractables - Short Term Extraction	tes - Shor	Extractal	7
<1	< 1	>2.8	2.97	>400	415	<6 00	107	< 2.0	0.6	8.7 < 15.0	1	0.50	0.40	0.45	145	135	140
Sorptive Rate (Sec.) SPEC	Sorptive Rate (Sec.) Average	Intrinsic Capacity SPEC	Intrinsic Capacity (ml/g) Average	Extrinsic Capacity SPEC	Extrinsic Capacity (ml/m²) Average	>100 µm SPEC	>100 µm Average	>5.0 µm SPEC	>5.0 µm Average	>0.50 µm SPEC	>0.50 µm Average	Thick- ness Upper	Thick- ness Lower	Thick- ness Average	Upper SPEC Limit	Lower SPEC Limit	Average
	Rate	Test For Sorbency Capacity & Rato	For Sorbency EST-RP-C004.	Test II		Fiber/Particles IEST-RP-CC004.3 Section 6.2.2 (particle/m²)	Flber/I IEST-RP Sectio (partic	icles .1.4	Orbital Shake Test for Particles IEST-RP-CC004.3 Section 6.1.4 (x10 ⁶ particle/m²)	al Shake Test for Pa RP-CC004.3 Section (x10 ⁶ particle/m²)	Orbita IEST-I	n) 96	Thickness (mm) ASTM D1777-96	Thi ASI	(/m²) 6	Basis Weight (g/m²) ASTM D3776	Basi

Extracta IEST-	bles - Sho (g/ RP-CC00	Extractables - Short Term Extraction (g/m²) IEST-RP-CC004.3 Section 7.1.2	raction 7.1.2				Specific IEST	-RP-C004.3	Specific Extractable lons (ug/g or IEST-RP-C004.3 Section 7.2.2.1	g or ppm) 2.2.18			
DI Water Average	DI Water SPEC	Average SPEC	SPEC	Sodium (Na ⁺) Average	Sodium (Na*) SPEC	Potassium (K*) Average	Potassium Calcium (K*) SPEC (Ca²) (Ca²) (Ca²)	Calcium (Ca²*) Average	Calcium (Ca ^{2*}) SPEC	Chloride (Cl) Average	Chloride (CI) SPEC	Magnesium (Mg²+) Average	Magnesiu (Mg²*) SPEC
0.014	< 0.03	0.022	< 0.08	0.17	< 0.20	0.08	< 0.10	0.07	< 0.20	0.07	< 0.10	80.0	

Product Cleanliness Specifications

The raw materials used in the production of this finished product are compliant with IEST-RP-CC004.3 and in accordance with Teknipure specifications.

Product Packaging Specifications

Teknipure specifications. The packaging materials, method & environment of this finished product are in accordance with

Shelf Life

Sterile product is marked with an expiration date three (3) years from date of manufacture.

022	1t. 10,2	Date of Manufacture: りは・ ル , ルン
	8)11	Name (printed):
	Mark	Inspected By: (Quality) MOYLE
811	Technician)	Tested By: (Production Technician)





