

| | |
|-----------------|------------------|
| Title | Teknipure C of C |
| Document Number | FM-8.2.5.2 |
| Revision Date | October 18, 2023 |

Certificate of Conformance

Wiper Code: TC2PL2-99

LOT No: 527321-301023

| Basis Weight (g/m ²) ASTM D3776 | | Thickness (mm) ASTM D1777-96 | | Orbital Shake Test for Particles IEST-RP-CC004.3 Section 6.1.4 (x10 ⁶ particle/m ²) | | Fiber/Particles IEST-RP-CC004.3 Section 6.2.2 (particle/m ²) | | Test For Sorbency Capacity & Rate IEST-RP-C004.3 Section 8.1 | | | | | | | | | |
|--|------------------|---------------------------------|-------------------|--|-----------------|---|---------------|---|--------------|-----------------|--------------|---|-------------------------|-----------------------------------|-------------------------|-----------------------------|--------------------------|
| Average | Lower SPEC Limit | Upper SPEC Limit | Thickness Average | Thickness Lower | Thickness Upper | >0.50 µm Average | >0.50 µm SPEC | >5.0 µm Average | >5.0 µm SPEC | >100 µm Average | >100 µm SPEC | Extrinsic Capacity (ml/m ²) Average | Extrinsic Capacity SPEC | Intrinsic Capacity (ml/g) Average | Intrinsic Capacity SPEC | Sorbive Rate (Sec.) Average | Sorbive Rate (Sec.) SPEC |
| 120 | 115 | 125 | 0.42 | 0.35 | 0.45 | 3.3 | < 5.0 | 0.4 | < 0.5 | 107 | <4 00 | 336 | >300 | 2.85 | >2.5 | < 1 | < 1 |

| Extractables - Short Term Extraction IEST-RP-CC004.3 Section 7.1.2 | | | | | | | | | | Specific Extractable Ions (µg/g or ppm) IEST-RP-C004.3 Section 7.2.2.1B | | | | | | | |
|---|---------------|-------------|----------|-----------------------------------|--------------------------------|-------------------------------------|----------------------------------|-------------------------------------|----------------------------------|--|-------------------------------------|----------------------------------|----------------------------------|---------------------------------------|------------------------------------|--|--|
| DI Water Average | DI Water SPEC | IPA Average | IPA SPEC | Sodium (Na ⁺) Average | Sodium (Na ⁺) SPEC | Potassium (K ⁺) Average | Potassium (K ⁺) SPEC | Calcium (Ca ²⁺) Average | Calcium (Ca ²⁺) SPEC | Calcium (Ca ²⁺) SPEC | Chloride (Cl ⁻) Average | Chloride (Cl ⁻) SPEC | Chloride (Cl ⁻) SPEC | Magnesium (Mg ²⁺) Average | Magnesium (Mg ²⁺) SPEC | | |
| 0.0044 | < 0.01 | 0.025 | < 0.04 | 0.16 | < 0.20 | 0.06 | < 0.10 | 3.07 | < 0.20 | 0.07 | < 0.10 | 0.06 | < 0.10 | 0.06 | < 0.10 | | |

Product Cleanliness Specifications

The raw materials used in the production of this finished product are compliant with IEST-RP-CC004.3 and in accordance with Teknipure specifications.

Product Packaging Specifications

The packaging materials, method & environment of this finished product are in accordance with Teknipure specifications.

Shelf Life

Sterile product is marked with an expiration date three (3) years from date of manufacture.

| | |
|------------------------------------|----------------------|
| Tested By: (Production Technician) | <u>P.111</u> |
| Inspected By: (Quality) | <u>M-M</u> |
| Name (printed): | <u>P.111</u> |
| Date of Manufacture: | <u>Oct. 30, 2023</u> |

