

Title	Teknipure C of C
Document Number	FM-8.2.5.3
Revision Date	November 15, 2023

Certificate of Conformance

Wiper Code: TC2PU1-12P

LOT No: 527363-081223

Basis Weight (g/m ²) ASTM D3776		Thickness (mm) ASTM D1777-96		Orbital Shake Test for Particles IEST-RP-CC004.3 Section 6.1.4 (x10 ⁶ particle/m ²)		Fiber/Particles IEST-RP-CC004.3 Section 6.2.2 (particle/m ²)		Test For Sorbency Capacity & Rate IEST-RP-C004.3 Section 8.1									
Average	Lower SPEC Limit	Upper SPEC Limit	Thickness Average	Thickness Lower	Thickness Upper	>0.50 µm Average	>0.50 µm SPEC	>5.0 µm Average	>5.0 µm SPEC	>100 µm Average	>100 µm SPEC	Extrinsic Capacity (ml/m ²) Average	Extrinsic Capacity SPEC	Intrinsic Capacity (ml/g) Average	Intrinsic Capacity SPEC	Sorbive Rate (Sec.) Average	Sorbive Rate (Sec.) SPEC
140	135	145	0.45	0.40	0.50	2.8	< 5.0	0.3	<0.5	128	< 4.00	414	>400	2.97	>2.8	< 1	< 1

Extractables - Short Term Extraction (g/m ²) IEST-RP-CC004.3 Section 7.1.2				Specific Extractable Ions (ug/g or ppm) IEST-RP-C004.3 Section 7.2.2.1B			
DI Water Average	DI Water SPEC	IPA Average	IPA SPEC	Sodium (Na ⁺) Average	Sodium (Na ⁺) SPEC	Potassium (K ⁺) Average	Potassium (K ⁺) SPEC
0.0033	< 0.01	0.019	< 0.04	0.12	< 0.20	0.06	< 0.10

Product Cleanliness Specifications
The raw materials used in the production of this finished product are compliant with IEST-RP-CC004.3 and in accordance with Teknipure specifications.

Product Packaging Specifications
The packaging materials, method & environment of this finished product are in accordance with Teknipure specifications.

Tested By: (Production Technician) P111
 Inspected By: (Quality) Mark
 Name (printed): P111
 Date of Manufacture: Dec. 8, 2023



Toll Free: 844.309.2376 Quality@Teknipure.com www.Teknipure.com