

Title	Teknipure C of C
Document Number	FM-8.2.5.3
Revision Date	November 15, 2023

## Certificate of Conformance

**Wiper Code: TC2PU3-12**

**LOT No:** 527423-110424, 527423-160424, 527423-180424,  
527423-230424, 527423-240424,

Basis Weight (g/m <sup>2</sup> ) ASTM D3776			Thickness (mm) ASTM D1777-96			Orbital Shake Test for Particles IEST-RP-CC004.3 Section 6.1.4 (x10 <sup>5</sup> particle/m <sup>2</sup> )				Fiber/Particles IEST-RP-CC004.3 Section 6.2.2 (particle/m <sup>2</sup> )		Test For Sorbency Capacity & Rate IEST-RP-C004.3 Section 8.1					
Average	Lower SPEC Limit	Upper SPEC Limit	Thick- ness Average	Thick- ness Lower	Thick- ness Upper	>0.50 µm Average	>0.50 µm SPEC	>5.0 µm Average	>5.0 µm SPEC	>100 µm Average	>100 µm SPEC	Extrinsic Capacity (ml/m <sup>2</sup> ) Average	Extrinsic Capacity SPEC	Intrinsic Capacity (ml/g) Average	Intrinsic Capacity SPEC	Sorptive Rate (Sec.) Average	Sorptive Rate (Sec.) SPEC
220	215	225	0.9	0.87	0.93	4.5	<6.0	0.14	<0.3	340	<350	721	>700	3.30	>3.15	<1	<1

Extractables - Short Term Extraction (g/m <sup>2</sup> ) IEST-RP-CC004.3 Section 7.1.2				Specific Extractable Ions (ug/g or ppm) IEST-RP-C004.3 Section 7.2.2.1B										
DI Water Average	DI Water SPEC	IPA Average	IPA SPEC	Sodium (Na <sup>+</sup> ) Average	Sodium (Na <sup>+</sup> ) SPEC	Potassium (K <sup>+</sup> ) Average	Potassium (K <sup>+</sup> ) SPEC	Calcium (Ca <sup>2+</sup> ) Average	Calcium (Ca <sup>2+</sup> ) SPEC	Chloride (Cl <sup>-</sup> ) Average	Chloride (Cl <sup>-</sup> ) SPEC	Magnesium (Mg <sup>2+</sup> ) Average	Magnesium (Mg <sup>2+</sup> ) SPEC	
0.005	<0.01	0.038	<0.05	0.14	<0.2	0.06	<0.1	0.11	<0.3	0.17	<0.2	0.14	<0.2	

**Product Cleanliness Specifications**

The raw materials used in the production of this finished product are compliant with IEST-RP-CC004.3 and in accordance with Teknipure specifications.

**Product Packaging Specifications**

The packaging materials, method & environment of this finished product are in accordance with Teknipure specifications.

Tested By: (Production Technician) \_\_\_\_\_ 张志豪

Inspected By: (Quality) \_\_\_\_\_ 王雪艳

Name (printed): \_\_\_\_\_ 王雪艳

Date of Manufacture: Apr.11/ Apr.16/ Apr.18/ Apr.23/  
Apr.24.2024

