

Title	Teknipure C of A
Document Number	FM-8.2.5.3
Revision Date	February 12, 2024

## Certificate of Analysis

**Wiper Part No: TC2P99S**

**LOT No: 412502**

Basis Weight (g/m <sup>2</sup> ) ASTM D3776			Thickness (mm) ASTM D1777-96			Orbital Shake Test for Particles IEST-RP-CC004.3 Section 6.1.4 (x10 <sup>6</sup> particle/m <sup>2</sup> )				Fiber/Particles IEST-RP-CC004.3 Section 6.2.2 (particle/m <sup>2</sup> )		Test For Sorbency Capacity & Rate IEST-RP-C004.3 Section 8.1					
Average	Lower SPEC Limit	Upper SPEC Limit	Thick- ness Average	Thick- ness Lower	Thick- ness Upper	>0.50µm Average	>0.50 µm SPEC	>5.0 µm Average	>5.0µm SPEC	>100µm Average	>100µm SPEC	Extrinsic Capacity (ml/m <sup>2</sup> ) Average	Extrinsic Capacity SPEC	Intrinsic Capacity (ml/g) Average	Intrinsic Capacity SPEC	Sorptive Rate (Sec.) Average	Sorptive Rate (Sec.) SPEC
140	135	145	0.45	0.40	0.50	4.8	< 11.0	0.58	< 0.80	133	< 400	417	> 400	3.28	> 2.8	< 1	< 1

Extractables - Short Term Extraction (g/m <sup>2</sup> ) IEST-RP-CC004.3 Section 7.1.2				Specific Extractable Ions (ug/g or ppm) IEST-RP-C004.3 Section 7.2.2.1B										
DI Water Average	DI Water SPEC	IPA Average	IPA SPEC	Sodium (Na <sup>+</sup> ) Average	Sodium (Na <sup>+</sup> ) SPEC	Potassium (K <sup>+</sup> ) Average	Potassium (K <sup>+</sup> ) SPEC	Calcium (Ca <sup>2+</sup> ) Average	Calcium (Ca <sup>2+</sup> ) SPEC	Chloride (Cl <sup>-</sup> ) Average	Chloride (Cl <sup>-</sup> ) SPEC	Magnesium (Mg <sup>2+</sup> ) Average	Magnesium (Mg <sup>2+</sup> ) SPEC	
0.0049	< 0.01	0.019	< 0.04	0.15	< 0.20	0.07	< 0.10	0.13	< 0.20	0.08	< 0.10	0.07	< 0.10	

### Product Cleanliness Specifications

The raw materials used in the production of this finished product are compliant with IEST-RP-CC004.3 and in accordance with Teknipure specifications.

### Product Packaging Specifications

The packaging materials, method & environment of this finished product are in accordance with Teknipure specifications.

Quality: \_\_\_\_\_ John Condon  
 Date of Manufacture: \_\_\_\_\_ 10072025  
 Expiration date : \_\_\_\_\_ 102030

